




SHIELD - ATF DEXRON III FULLY SYNTHETIC

DESCRIPTION

Shield's ATF DEXRON III Fully Synthetic is premium quality automatic transmission gear oils exclusively formulated with synthetic base oils and well balanced additives to cover a wide range of ATF requirements for modern day automatic transmissions and power shift & steering units.



PERFORMANCE LEVELS:

- Type GM DEXRON III
- Ford MERCON
- Allison - C4
- Renk Doromat, ZF
- Voith, TE-ML-09

APPLICATIONS:

Shield's ATF DEXRON III Fully Synthetic is formulated specially for passenger cars and light duty trucks where DEXRON III (H&G), DEXRON III, DEXRON II-E, DEXRON II-D, DEXRON II, DEXRON, or Type A fluids are recommended.

TYPICAL PHYSICAL PROPERTIES

SL#	Characteristics Unit	Test Method	Grades / Performance Level	
			FULLY SYNTHETIC	ULTRA FULLY SYNTHETIC
1	Density @ 15°C	ASTM D 1298	0.8397	0.8397
2	Viscosity @ 40°C	ASTM D 445	49.15	36
3	Viscosity @ 100°C	ASTM D 445	8	7.5
4	Viscosity Index	ASTM D 2270	133	182
5	Flash Point COC, °C	ASTM D 92	220	220
6	Pour Point, °C	ASTM D 97	-42	-45
7	Color	ASTM D 1500	Red	Red
8	Appearance	ASTM D 4176	C & B	C & B

*Exact specifications may slightly vary from the above, but within the international standards.